



Product Bulletin



SINGLE UTP SOLUTION


VGA + RS-232 Extender over **ONE** Cat5/6 Cable BOX STYLE

DESCRIPTION:

The VGA + RS232 extender over 1x Cat5/6 cable allows sending VGA and RS232 signal together over long distance via **ONLY** one inexpensive cat5e/cat6 cable for up to 500ft. It supports resolution up to 1600x1200@60Hz. Receiver has built-in equalization and gain control to adjust brightness and skew.


FEATURES:

- Extend VGA signal using ONE UTP cable for both VGA and RS232 control
- High resolution up to 1600 x 1200@60Hz
- Distance up to 500ft apart or 1000ft using Belden Skew Free Cable
- Work with monitors, projectors, HDTV and flat panels
- RS232 works with scanner and touch screen control
- DB9 to 3.5mm Adapter Cable included



R02-EXT-C5E-RS

VGA UTP EXTENDER WITH RS-232



PART NUMBER

DESCRIPTION

R02-EXT-C5E-RS	VGA + RS-232 Extender over 1x Cat5/6 Cable (Transmitter, Receiver, 1 DB9 Female to 3.5mm Male Cable, 1 DB9 Male to 3.5mm Male Cable, 1 SET)
R02-EXT-C5E-RS-RX	VGA + RS-232 Extender over 1x Cat5/6 Cable Receiver only (incl. 1 DB9 Male to 3.5mm Male Cable)
R02-EXT-C5E-RS-TX	VGA + RS-232 Extender over 1x Cat5/6 Cable Transmitter only (incl. 1 DB9 Female to 3.5mm Male Cable)



Tri-Net Technology, Inc.
Total Network Telesis U.S.A.

21709 Ferrero Parkway
Walnut, California 91789
Tel. 909 598 8818 Fax. 909 594 8666
www.trinetusa.com info@trinetusa.com